

BOS-xchange 1.5
Interfaces specifications
Annex PZ-BPL

Document

Status

Status 1:	Validated		
Version :	1.0	Date: 05/08/2015	
Writer :	Tu-Anh	NGUYEN	CIRB
Validated by :			
Approved by :			

Modifications

Version	Date	Description
1.0	05/08/2015	Initial Version

Distribution

Nom	Organisation	Email
Marc Xenophontos	BPL	mxenophontos@sprb.irisnet.be
Nicolas Luiset	BPL	nluiset@mrbc.irisnet.be
André Martin	BPL	martin.andre.cirb@outlook.be

1

- Draft: draft document
- Final: final version waiting validation
- Validated: approved by CIRB
- Approved: approved by client
- Published: published to clients

1	Introduction	4
1.1	Document description	4
1.2	Scope	4
1.2.1	Project description	4
1.2.2	Document goals	4
1.3	References	4
1.4	Keywords	4
2	Types	5
2.1	Procedure PZ/BPL	5
2.2	From PZ to BPL	5
2.3	From BPL to PZ	5
3	Generic properties	6
3.1	From PZ to BPL	6
3.1.1	Documents	6
3.1.2	Notifications	9
3.2	From BPL to PZ	11
3.2.1	Documents	12
3.2.2	Notifications	14
4	Annexes	16
4.1	Others	16
5	Signature	17
5.1	Project Board	17

1 Introduction

1.1 Document description

This document describes BOS-xchange specific types of document and metadata's for exchanges between PZ and BPL (procedure TUTORSHIP_PZ) in BOS-xchange 1.5.

1.2 Scope

1.2.1 Project description

BOS-xchange is a platform allowing « Region instances » to exchange and sign (EID) bundle of documents. This exchange can be automatic between Back Offices or manual through the BOS-xchange web interface.

1.2.2 Document goals

This document should describe BOS-xchange specific types of document and metadata's for exchanges between PZ and BPL (procedure TUTORSHIP_PZ) in BOS-xchange 1.5.

1.3 References

Document name (+ <i>hyper-link</i>)	Description	Vs	Date	Writer
CIRB-BOS-xchange - Interfaces	Generic specifications	1.4		Gabriel Willems

1.4 Keywords

BPL	Bruxelles Pouvoirs Locaux
PZ	Police Zone

2 Types

2.1 Procedure PZ/BPL

The procedure code is TUTORSHIP_PZ

2.2 From PZ to BPL

- LIST_PZ : « Liste » / « Liist »
- DELIB_PZ: « Délibération » / « Beraadslaging »
- DELIB_PZ_ANNEX: « Annexe d'une délibération » / « Bijlage bij een beraadslaging »

2.3 From BPL to PZ

- DECISION_LEAD: « Décision » / « Beslissing »
- DECISION_LEAD_ANNEX: « Annexe à la décision » / « Bijlage bij de beslissing »
- DEMAND_IN_EXTENSO: « Demande in extenso » / « Aanvraag in extenso »

3 Generic properties

3.1 From PZ to BPL

3.1.1 Documents

Name	Value(s)	Description
« Liste » / « Liist »		
<i>docType</i>	LIST_PZ	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'ordinaire', 'extraordinaire'}	Meeting title (type)
<i>xmlField</i>	XML string	See XML list
<i>language</i>	FN	Document language
<i>sign1</i>	{true,false}	Require signature by signer 1
<i>sign2</i>	{true,false}	Require signature by signer 2
<i>sentDate</i>	yyyy-MM- dd'T'HH:mm:ss.SSSZ e.g:2012-12- 20T11:07:20.109+0100	Destination Reception Date Empty for incoming documents in BOS-xchange

« Délibération » / « Beraadslaging »		
<i>docType</i>	DELIB_PZ	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	Meeting title (type)
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ PV 4 digits
<i>sujetFR</i>		Subject (title) FR (mandatory if language==FR)
<i>sujetNL</i>		Subject (title) NL (mandatory if language==NL)
<i>article</i>	Free Text	Law article
<i>service</i>	Free Text	PZ service
<i>language</i>	{FR,NL,FN}	Document language
<i>sign1</i>	{true,false}	Require signature by signer 1
<i>sign2</i>	{true,false}	Require signature by signer 2
<i>sentDate</i>	yyyy-MM- dd'T'HH:mm:ss.SSSZ e.g:2012-12-	Destination Reception Date Empty for incoming documents in BOS-xchange

	20T11:07:20.109+0100	
--	----------------------	--

« Annexe d'une délibération » / « Bijlage bij een beraadslaging »		
<i>docType</i>	DELIB_PZ_ANNEX	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	Meeting title (type)
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ PV 4 digits
<i>annexNum</i>	{001, 002, ..., 999}	Index of the ANNEX in the DELIB 3 digits
<i>annexName</i>		Filename of the ANNEX
<i>physical</i>	{true,false}	Physical ANNEX
<i>language</i>	{FR,NL,FN}	Document language
<i>sign1</i>	{true,false}	Require signature by signer 1
<i>sign2</i>	{true,false}	Require signature by signer 2
<i>sentDate</i>	yyyy-MM- dd'T'HH:mm:ss.SSSZ e.g:2012-12- 20T11:07:20.109+0100	Destination Reception Date Empty for incoming documents in BOS-xchange

Description of xmlField in LIST PZ

This list contains short description of the deliberation contained in the list:

```
<xml>
  <delibs> <!--For each deliberation -->
    <delib>
      <instance>009</instance>
      <meetingDate>2012-12-31</meetingDate>
      <decisionLead>A</decisionLead>
      <agendaNum>0001</agendaNum>
      < sujetFR>Sujet FR</sujetFR>
      < sujetNL>Sujet NL</sujetNL>
    </delib>
  </delibs>
</xml>
```

Example of sendDocRequest :

```

<sendDocRequest xmlns="http://www.cirb.be/txchange/1.1">
  <procedure>TUTORSHIP_PZ</procedure>
  <contextId>041_500</contextId>
  <instanceId>041</instanceId>
  <bundleId>26</bundleId>
  <bundleCreator>mlloozen</bundleCreator>
  <maxDoc>1</maxDoc>
  <docId>1</docId>
  <docIdSource>63</docIdSource>
  <filename>20150618-B-0001-DE-FR</filename>
  <content>JV</content>
  <properties>
    <property>
      <name>docType</name>
      <value>DELIB_PZ</value>
    </property>
    <property>
      <name>meetingDate</name>
      <value>2015-06-18</value>
    </property>
    <property>
      <name>version</name>
      <value>1</value>
    </property>
    <property>
      <name>decisionLead</name>
      <value>B</value>
    </property>
    <property>
    </property>
    <property>
      <name>meetingTitle</name>
      <value>2015-06-18</value>
    </property>
    <property>
      <name>agendaNum</name>
      <value>0001</value>
    </property>
    <property>
      <name>sujeFR</name>
      <value>gfdgdfgfd</value>
    </property>
    <property>
      <name>sujeNL</name>
      <value/>
    </property>
    <property>
      <name>language</name>
      <value>FR</value>
    </property>
    <property>
      <name>dest1</name>
      <value>true</value>
    </property>
    <property>
      <name>dest2</name>
      <value>false</value>
    </property>
    <property>
      <name>sign1</name>
      <value>true</value>
    </property>
    <property>
      <name>sign2</name>
      <value>true</value>
    </property>
    <property>
      <name>custom1</name>
      <value>delib pz custom 1</value>
    </property>
    <property>
      <name>custom2</name>
      <value>delib pz custom 2</value>
    </property>
    <property>
      <name>custom3</name>
      <value>delib pz custom 3</value>
    </property>
  </properties>
</sendDocRequest>

```


3.1.2 Notifications

Name	Value(s)	Description
Liste / Lijst		
<i>docType</i>	LIST_PZ	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	Meeting title (type)
<i>xmlField</i>		See XML list
<i>language</i>	FN	Document language

Délibération / Beraadslaging		
<i>docType</i>	DELIB_PZ	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	Meeting title (type)
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ PV 4 digits
<i>language</i>	{FR,NL,FN}	Document language

Annexe d'une délibération / Bijlage bij een beraadslaging		
<i>docType</i>	DELIB_PZ_ANNEX	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>meetingTitle</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	Meeting title (type)
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ PV 4 digits
<i>annexNum</i>	{001, 002, ..., 999}	Index of the ANNEX in the DELIB 3 digits
<i>language</i>	{FR,NL,FN}	Document language

Example of sendNotiRequest

```

<soapenv:Body>
  <sendNotifRequest xmlns="http://www.cirb.be/txchange/1.1">
    <procedure>TUTORSHIP_PZ</procedure>
    <contextId>041_500</contextId>
    <instanceId>041</instanceId>
    <receptionDate>2015-08-05T09:16:14.168+02:00</receptionDate>
    <docIdSource>211</docIdSource>
    <docIdTXC>45365</docIdTXC>
    <properties>
      <property>
        <name>docType</name>
        <value>DELIB_PZ</value>
      </property>
      <property>
        <name>version</name>
        <value>1</value>
      </property>
      <property>
        <name>meetingDate</name>
        <value>2015-08-04</value>
      </property>
      <property>
        <name>decisionLead</name>
        <value>B</value>
      </property>
      <property>
        <name>meetingTitle</name>
        <value>2015-08-04</value>
      </property>
      <property>
        <name>agendaNum</name>
        <value>0001</value>
      </property>
      <property>
        <name>language</name>
        <value>FR</value>
      </property>
    </properties>
  </sendNotifRequest>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<txchange:sendDocRequest xmlns:txchange="http://www.cirb.be/txchange/1.1"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.cirb.be/txchange/1.1 TXCHSchema.xsd">
  <txchange:procedure>TUTELLE_COMMUNES</txchange:procedure>
  <txchange:contextId>009_500</txchange:contextId>
  <txchange:instanceId>009</txchange:instanceId>
  <txchange:receptionDate>2013-01-01T12:00:00</txchange:receptionDate>
  <txchange:docIdSource>0000000000000005</txchange:docIdSource>
  <txchange:docIdTXC>000000000000010</txchange:docIdTXC>
  <txchange:properties>
    <txchange:property>
      <txchange:name>docType</txchange:name>
      <txchange:value>DELIB_AC</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>version</txchange:name>
      <txchange:value>1</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>meetingDate</txchange:name>
      <txchange:value>2012-02-01</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>decisionLead</txchange:name>
      <txchange:value>A</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>meetingTitle</txchange:name>
      <txchange:value>2012-03-01 - extraordinaire</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>agendaNum</txchange:name>
      <txchange:value>1</txchange:value>
    </txchange:property>
    <txchange:property>
      <txchange:name>language</txchange:name>
      <txchange:value>FN</txchange:value>
    </txchange:property>
  </txchange:properties>
</txchange:sendDocRequest>

```

3.2 From BPL to PZ

3.2.1 Documents

Décision / Beslissing		
<i>docType</i>	DECISION_LEAD	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>(meetingTitle)</i>	{'yyyy-mm-dd', 'yyyy-mm-dd - extraordinaire'}	Empty, BPL will not return this property
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
<i>(reportNum)</i>	Free text	Empty, BPL will not return this property
<i>(meetingAuthorityDate)</i>	yyyy-mm-dd	Empty, BPL will not return this property
<i>(meetingAuthorityType)</i>	{A, B}	Empty, BPL will not return this property
<i>(pvAuthorityNum)</i>		Empty, BPL will not return this property
<i>remark</i>		Free text
<i>responseAuthority</i>	{APPROVED, APPROVED_UNDER_CONDITION, REFORMING, NOT_APPROVED, PROLONGATION, SUSPENDED, CANCEL, AUTHORIZED, COMMUNICATION}	Decision short text
<i>authorityRef</i>	Free text	BPL case reference
<i>authorityTopic</i>	Free text	BPL case topic
<i>authorityContact</i>	Free text	BPL contact
<i>language</i>	{FR,NL,FN}	Document language
<i>dest1</i>	{true,false}	Sent to dest 1
<i>dest2</i>	{true,false}	Sent to dest 2
<i>sign1</i>	{true,false}	Require signature by signer 1
<i>sign2</i>	{true,false}	Require signature by signer 2
<i>sentDate</i>	yyyy-MM-dd'T'HH:mm:ss.SSSZ e.g :2012-12-20T11:07:20.109+0100	Destination Reception Date Empty for incoming documents in BOS-xchange

Annexe de la décision / Bijlage bij de beslissing		
<i>docType</i>	DECISION_LEAD_ANNEX	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil

		B : Collège
(meetingTitle)	{'yyyy-mm-dd', 'yyyy-mm-dd - extraordinaire'}	Empty, BPL will not return this property
agendaNum	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
(meetingAuthorityDate)	yyyy-mm-dd	Empty, BPL will not return this property
(meetingAuthorityType)	{A, B}	Empty, BPL will not return this property
(pvAuthorityNum)		Empty, BPL will not return this property
authorityRef	Free text	BPL case reference
annexNum	{001, 002, ..., 999}	Index of the ANNEX in the DELIB 3 digits
annexName		File name
(reportNum)		Empty, BPL will not return this property
language	{FR,NL,FN}	Document language
dest1	{true,false}	Sent to dest 1
dest2	{true,false}	Sent to dest 2
sign1	{true,false}	Require signature by signer 1
sign2	{true,false}	Require signature by signer 2
sentDate	yyyy-MM-dd'T'HH:mm:ss.SSSZ e.g :2012-12-20T11:07:20.109+0100	Destination Reception Date Empty for incoming documents in BOS-xchange

Demande in extenso /Aanvraag in extenso		
docType	DEMAND_IN_EXTENSO	Document type code
version		Document version
meetingDate	yyyy-mm-dd	PZ meeting date
decisionLead	{A,B}	Decision lead A : Conseil B : Collège
agendaNum	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
remark		Free text
responseAuthority	{IN_EXTENSO_INFO, IN_EXTENSO_LEGAL}	Decision short text
authorityContact	Free text	BPL contact
language	{FR,NL,FN}	Document language
dest1	{true,false}	Sent to dest 1
dest2	{true,false}	Sent to dest 2
sign1	{true,false}	Require signature by signer 1
sign2	{true,false}	Require signature by signer 2
sentDate	yyyy-MM-dd'T'HH:mm:ss.SSSZ	Destination Reception Date Empty for incoming documents in BOS-xchange

	e.g :2012-12-20T11:07:20.109+0100	
--	-----------------------------------	--

3.2.2 Notifications

Décision / Beslissing		
<i>docType</i>	DECISION_LEAD	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>(meetingTitle)</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	– Empty, BPL will not return this property
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
<i>(meetingAuthorityDate)</i>	yyyy-mm-dd	Empty, BPL will not return this property
<i>(meetingAuthorityType)</i>	{A, B}	Empty, BPL will not return this property
<i>(pvAuthorityNum)</i>		Empty, BPL will not return this property
<i>authorityRef</i>	Free text	BPL case reference
<i>language</i>	{FR,NL,FN}	Document language

Annexe de la décision / Bijlage bij de beslissing		
<i>docType</i>	DECISION_LEAD_ANNEX	Document type code
<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>(meetingTitle)</i>	{'yyyy-mm-dd', 'yyyy-mm-dd extraordinaire'}	– Empty, BPL will not return this property
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
<i>(meetingAuthorityDate)</i>	yyyy-mm-dd	Empty, BPL will not return this property
<i>(meetingAuthorityType)</i>	{A, B}	Empty, BPL will not return this property
<i>(pvAuthorityNum)</i>		Empty, BPL will not return this property
<i>authorityRef</i>	Free text	BPL case reference
<i>annexNum</i>	{001, 002, ..., 999}	Index of the ANNEX in the DELIB 3 digits
<i>language</i>	{FR,NL,FN}	Document language

Demande in extenso / Aanvraag in extenso		
<i>docType</i>	DEMAND_IN_EXTENSO	Document type code

BOS-xchange 1.5 – Interfaces specifications – Annex PZ-BPL

<i>version</i>		Document version
<i>meetingDate</i>	yyyy-mm-dd	PZ meeting date
<i>decisionLead</i>	{A,B}	Decision lead A : Conseil B : Collège
<i>agendaNum</i>	SeqNb [- OJ_OJNb]	Index of the DELIB in the PZ agenda 4 digits
<i>language</i>	{FR,NL,FN}	Document language

4 Annexes

4.1 Others

#	Name	Writer	Date
1	txchin-test.wsdl	Gabriel WILLEMS	10/04/2012

5 Signature

5.1 *Project Board*

Approved,

Date :
Name
Function

Date :
Name
Function